READ SAFETY DIRECTIONS

agreva® Sustainable Agriculture | microbials

Harmonise® Activ

Biofertiliser

ACTIVE CONSTITUENT:
Plant Growth Promoting Rhizobacteria (PGPR)

Bacillus amyloliquefaciens

A plant growth promoting micro-organism leading to increased soil activity and plant performance with greater efficacy and nutrient availability.

agreva.com.au

SX Allowed Input
Cert. No. 24075

HARACT20LF122025

0 706502 406677

BEST STORE BETWEEN 5°C–30°C. DO NOT FREEZE.
STORE OUT OF DIRECT SUNLIGHT. SHAKE WELL BEFORE USE.

NET CONTENTS
20
LITRES

Harmonise® Activ

Biofertiliser

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE

CROP	APPLICATION METHOD	RATE	TIMING AND CRITICAL COMMENTS
Broadacre Crops (cereals, oilseeds, legumes and fibre crops)	Seed treatment	5 mL/L water (small seed) 3 mL/L water (medium seed) 1.5 mL/L water (large seed)	Apply directly to seed and ensure even coverage.
	Foliar spray	1.5 – 3 L/ha	Apply during early vegetative growth, at emergence and/or tillering.
Vegetables, Flowers and Bulbs	Fertigation / drip irrigation	3 – 5 L/ha	Apply at transplanting or early crop establishment. Repeat every 10–20 days if required. Keep the product in the root zone and avoid excessive irrigation after application.
	Foliar spray	2 – 4 L/1000 L water	Apply during early growth stages or periods of high humidity. Ensure even coverage. Repeat if conditions persist.
Berries	Fertigation / drip irrigation	3 – 5 L/ha	Apply at planting or early establishment. Repeat every 10–15 days if required. Keep the product in the root zone.
	Foliar spray	2 – 4 L/1000 L water	Apply during early growth stages or periods of high humidity. Ensure even coverage
Pasture and Forage Crops (including dairy pasture and turf)	Foliar spray	0.5 – 1 L/1000 L water	Apply after cutting or grazing.
	Foliar spray or irrigation	2–5 L/ha	Apply at establishment, planting or renovation.
Fruit and Nut Trees, Citrus, Stone Fruit and Vines	Soil drench	2 L/1000 L water	Apply directly to the root zone to support early rhizosphere establishment. Apply at planting and/or early vegetative growth.
	Foliar spray	2 – 4 L/1000 L water	Apply during key growth stages or periods of high humidity. Ensure even coverage.
	Fertigation / drip irrigation	3 – 5 L/ha	Apply at planting or early establishment, then repeat every 10–20 days if required. Keep the product in the root zone.
Potatoes and Other Tuber Crops	Foliar spray	2 – 4 L/1000 L water	Apply before and during key crop growth stages or periods of high humidity. Ensure even coverage.
	Fertigation / drip irrigation	3 – 5 L/ha	Apply at planting or early establishment, then repeat every 15–25 days if required. Keep the product in the root zone.
Sugarcane	Foliar spray or irrigation	3 – 5 L/ha	Apply during active growth stages. Repeat as required based on crop development.

Withholding period
Not required when used as directed.

Directions for use-general
Shake well before use. Maintain agitation during mixing and application. Agreva Harmonise Activ contains beneficial bacteria. Early application may support normal crop growth processes, particularly during key growth stages. Use filters with a mesh size greater than 100 microns to allow the product to pass through spray or irrigation systems. Use the spray solution within 24 hours of mixing with clean, cool water. Where mixed with other compatible products, apply as soon as possible after mixing.

Compatibility
DO NOT mix with pesticides, fertilisers or other agricultural chemicals that may harm beneficial bacteria.

Protection of wildlife, fish, crustaceans and the environment
DO NOT contaminate streams, rivers, drains or waterways with the product or used containers.

Storage and disposal
Store in the original sealed container in a cool, dry and well-ventilated place, away from direct sunlight, at temperatures between 5°C and 30°C. Do not freeze.

Safety directions
May irritate the eyes, nose and throat. Avoid contact with eyes and open wounds. When opening the container and preparing the product for use, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and disposable gloves. If product enters the eyes, rinse immediately with clean water. Wash hands after use. Wash contaminated clothing after each day's use.

First aid
First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. Australia: 13 11 26; New Zealand: 0800 764 766.

Notice/ disclaimer
Agreva Sustainable Agriculture has no control over farming practices, product application, irrigation systems, weather or growing conditions. Accordingly, no responsibility or liability is accepted by Sustainable Ventures Pty Ltd trading as Agreva, its distributors or agents for any failure in performance, loss, damage or injury arising from the use of this product. Seek independent advice prior to use.

Manufactured by: Servalesa
Calle Pinadeta, 26, 46930 Quart De Poblet, Valencia-Spain
Ph +34 96 269 10 90 | servalesa.com

DOM / BATCH #

drumMUSTER eligible container

HARACT20LB122025

Distributed by:

agreva® Sustainable Agriculture

For more information or to seek specialist advice contact:
Agreva Sustainable Agriculture
160 Pine Ave, Mildura Victoria 3500
P: 03 9008 6352
E: info@agreva.com.au
agreva.com